Response To Office Action dated September 16, 2005
In response to Office Action mailed July 12, 2005

IFW

Attorney Docket No. 144237

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	§	
James M. Adams, et al.	§ § 8	Group Art No.: 3672
Serial No.: 10/601,946	\$ §	
Filed: June 23, 2003	§ § §	Examiner: Matthew J. Smith
Title: PRESSURE LINE SYSTEMS HAVING BREECHBLOCK CONNECTIONS AND FOR CONNECTING CHOKE AND KILL LINES FOR BLOWOUT PREVENTERS	\$ \$ \$ \$ \$ \$	

RESPONSE TO OFFICE ACTION

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Sir:

CERTIFICATE OF MAILING 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as First Class Mail, postage prepaid, in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on September 16, 2005.

Anthony F. Matheny

The following Response To Office Action ("Response") is in response to the Office Action mailed July 12, 2005, having a shortened statutory period for response set to expire October 12, 2005. As indicated by the Certificate of Mailing pursuant to 37 C.F.R. § 1.8, this Response is being timely filed, and as such, no fees are due. However, in the event that fees are due, the Commissioner

Application Serial No. 10/601,946

Response To Office Action dated September 16, 2005

In response to Office Action mailed July 12, 2005

is authorized to charge any additional fees which may be required (or credit any overpayment) to

Account No. 50-0897, Order No. 144237/AFM. Reconsideration of this application is respectfully

requested.

Claims 1, 3-12, 14, 15, and 17-31 are pending in the application. Claims 1, 3-12, 14, 15, and

17-20 are allowed. Claims 21-31 stand rejected. Applicant files this Response and respectfully

requests that the rejections of claims 21-31 be withdrawn and allowed in light of the following

remarks.

Remarks begin on page 3 of this paper.

Page 2 of 9

HOU:2487950.1